

Samsung SDS Digital Doorlock Catalog

insight to!nspiration



SAMSUNG SDS



Connected Doorlock
Premium PUSH PULL SERIES

Open With Smart Phone
(Bluetooth Keyless Entry)




Bluetooth™



Door Access History
on Smart Phone

Free download the mobile app,
sHome Doorlock from the
iTunes App Store™ or Google
Play™ for the connected
doorlock service.




Family Arrival
Notification

Connected Doorlock
Premium PUSH PULL SERIES

Connected Doorlock Service




Open With Smart Phone



Your smartphone is the door key.
You can unlock the door with the
mobile app, 'sHome Doorlock'.




Door Access History on Smart Phone



Easily check who and when is in
and out on your smartphone
anytime anywhere. (up to 30 records)



Family Arrival Notification



Check family members' safe
return on your smart phone in
real time.

The connected doorlock services
may not be in some countries.

Key Features



Push or Pull

Anti-Panic Bar

No more grab and turn, just pull and push!
The push-pull door handle mechanism makes it easier to open and close the door than ever before.



Common Doorlock
2 Steps : Grab and turn



SHP-DF723
Only 1 Step : Push or Pull



Smart Sensor and More

Activates doorlock automatically by sensing the movement around a door.



Welcome You and Your Family

The embedded IR sensor detects the motion when you and your family approach the connected doorlock within the range of 50cm. And, the front touch panel(backlight) starts blinking. Which shows it is ready for authenticate PIN and Bluetooth Pairing.



Suspicious Movement Alert

When the embedded IR sensor detects any suspicious movement over one minute, it sounds siren for warning.



Fire Alarm

Detects abnormally high temperature in house and warns you of fire risk.



Enhanced Security & Safety



Do-not-disturb Mode

Blocks every attempts to unlock a door such as RF key tags, PIN code and fingerprint for protection of privacy.

Connected Doorlock

What are the Connected Doorlock Services for?



Receive push notification which includes registered user's name, arrival date and access time in real-time via smart phone.



Quick view on the door access information of the registered family members via mobile application. (up to 30 histories)



Support the secured user authentication and the data protection with the light-weighted end-to-end secure tunneling technology.



Unlock your door with smartphone.

Aesthetic Product Design

The World's first door lock achieves grand slam at the top three design awards.



International Forum Design,
iF Design Award



reddot award
winner
(Design Zentrum Nordrhein Westfalen),
Product Design Award



Industrial Designers Society of America,
International Design Excellence Awards

Connected Doorlock

Convenience

The Various Accessibilities

Provides the various door access methods depending on your life style.
(mobile application, fingerprint, passwords, RF cards, smart tag, mechanical key overrides)

Touch Pad Screen

The highly sophisticated touch screen makes so much easier for you to enter the password to unlock the doorlock.



Just One Step to Open!

Innovative push-pull handle design makes it more convenient to use than ever before.



Automatic Locking

Just close the door when you go out. It automatically locks the door by itself so that you do not need to re-check.



Auto Polling

RF card or key tag is instantly authenticated for access without the need to press the wake-up button.



Dual Sided Latch

Completely reversible for right or left hand gate openings, depending on homeowners preference. Can match most household doors.

Enhanced Safety



Touchpad Randomizer

Press those two digits, a smart way to prevent would-be thieves from scanning your smudgy fingerprints to figure out which digits will open the door.



Anti-Theft Mode

One you set up this mode, the alarm sounds when the theft tries to exit to the door.



Double Authentication

This enhanced security feature requires to enter the password and the fingerprint / card for unlocking the door.



Fire Warning

This mode is activated when it detects abnormally high temperature inside your house. By sound of alarm, it helps you recognize the risk of fire and unlock itself to help you evacuate recognize the risk of fire and unlock itself to help you evacuate.

Other Useful Functions



Volume Adjustment



9V Battery Back-up



Low Battery Alert

Works with Samsung Smart Home Solution



Interface with Samsung Smart Home

The lock has an interface with Samsung video door phone or home automation to unlock the door.

Connected Doorlock

/ SHP-DP728
/ SHP-DP727
/ SHP-DH525
/ SHP-DS705



SHP-DP728



- Real-time family arrival notification over smartphone
- Saving family access time and date (Up to 30 records)
- One touch unlock with smartphone
- Push & pull door handle
- Safe unlock with fingerprint



SHP-DADT300/EN(Zigbee module : Option)

Product

Model	Handle type (Inside/Outside)	Mortise		Color
		AML220	AML320	
SHP-DP728AG/EN	Pull-Push	O	-	Gold
SHP-DP728AK/EN	Pull-Push	O	-	Black
SHP-DP728AU/EN	Pull-Push	O	-	Bronze
SHP-DP728BG/EN	Pull-Push	-	O	Gold
SHP-DP728BK/EN	Pull-Push	-	O	Black
SHP-DP728BU/EN	Pull-Push	-	O	Bronze
SHP-DP728DG/EN	Push-Pull	-	O	Gold
SHP-DP728DK/EN	Push-Pull	-	O	Black
SHP-DP728DU/EN	Push-Pull	-	O	Brown

Specification

Password	4~12 digit number combination
Fingerprint	Capacity 100 fingerprints (Max.)
RFID Card/Password	Capacity 20 (Max.)
Door thickness	AML220 : 40~60mm
	AML320 : 61~80mm
Power	DC 6V (AA Alkaline batteries) x 8
Battery life	Approximately 10 months (10 times per day on average)
Size	Exterior body : 87.5x391.8x64.5mm
	Interior body : 88.5x357.6x69.3mm

SHP-DP727

- Real-time family arrival notification over smartphone
- Saving family access time and date (Up to 30 records)
- One touch unlock with smartphone
- Push & pull door handle



Product

Model	Handle type (Inside/Outside)	Mortise		Color
		AML220	AML320	
SHP-DP727AG/EN	Pull-Push	O	-	Gold
SHP-DP727AK/EN	Pull-Push	O	-	Black
SHP-DP727AU/EN	Push-Pull	-	O	Bronze
SHP-DP727BG/EN	Pull-Push	-	O	Gold
SHP-DP727BK/EN	Pull-Push	-	O	Black
SHP-DP727BU/EN	Pull-Push	-	O	Bronze
SHP-DP727DG/EN	Push-Pull	-	O	Gold
SHP-DP727DK/EN	Push-Pull	-	O	Black
SHP-DP727DU/EN	Push-Pull	-	O	Bronze

SHP-DADT300/EN(Zigbee module : Option)

Specification

Password	4~12 digit number combination
RFID Card/Password	Capacity 20 (Max.)
Door thickness	AML220 : 40~60mm
	AML320 : 61~80mm
Power	DC 6V (AA Alkaline batteries) x 8
Battery life	Approximately 10 months (10 times per day on average)
Size	Exterior body : 88.1x392.4x64.5mm
	Interior body : 88.5x357.6x69.3mm

SHP-DH525

- Real-time family arrival notification over smartphone
- Saving family access time and date (Up to 30 records)
- One touch unlock with smartphone
- The security button on the internal handle



Product

Model	Mortise		Security Button	Color
	AML220	AML320		
SHP-DH525MK/EN	O	-	O	Black
SHP-DH525BK/CN	-	O	O	Black

SHP-DADT300/EN(Zigbee module : Option)

Specification

Password	4~12 digit number combination
RFID Card/Password	Capacity 20 (Max.)
Door thickness	AML220 : 40~60mm
	AML320 : 61~80mm
Power	DC 6V (AA Alkaline batteries) x 8
Battery life	Approximately 10 months (10 times per day on average)
Size	Exterior body : 77.4x313.4x66.8mm
	Interior body : 79x290x80.3mm

SHP-DS705

- Compact and slim external body in round shape
- Real-time family arrival notification over smartphone
- Saving family access time and date (Up to 30 records)
- One touch unlock with smartphone



Product

Model	Lockset		Mechanical override key	Color
	Deadbolt	Rim Lock		
SHP-DS705MK/EN	~	O	-	Black

Specification

Password	4 ~10 digit number combination
RFID Card/Password	Capacity 20 (Max.)
Door thickness	40~60mm (1.4~2.3")
Power	DC 6V (AA Alkaline batteries) x 4
Battery life	Approximately 12 months (10 times per day on average)
Size	Exterior body : 82.8x19mm Interior body : 140x106x44mm

Digital Doorlock

- / SHS-P718
- / SHS-P717
- / SHS-H705
- / SHS-H635
- / SHS-H505
- / SHP-DS510
- / SHS-3321
- / SHS-2320
- / SHS-1321
- / SHS-D600



SHS-P718

- Push to enter, pull to exit (the reversed model is also available)
- Ultra fast fingerprint scanning with high accuracy
- Automatic wake up by IR sensor
- User friendly status display on the front panel
- Do-not-disturb mode



Product

Model	Handle type (Inside/Outside)	Mortise		Color
		AML220	AML320	
SHS-P718XMK/EN	Push-Pull	O	-	Black
SHS-P718LMK/EN	Pull-Push	O	-	Black
SHS-P718LMG/EN	Pull-Push	O	-	Gold
SHS-P718LMU/EN	Pull-Push	O	-	Bronze
SHS-P718XBK/EN	Push-Pull	-	O	Black
SHS-P718XBU/EN	Push-Pull	-	O	Bronze
SHS-P718LBK/EN	Pull-Push	-	O	Black
SHS-P718LBG/EN	Pull-Push	-	O	Gold
SHS-P718XBG/EN	Push-Pull	-	O	Bronze
SHS-P718LBU/EN	Pull-Push	-	O	Bronze

Specification

Password	4~12 digit number combination
Fingerprint	Capacity 100 fingerprints (Max.)
RFID Card/Password	Capacity 20 (Max.)
Door thickness	AML220 : 40~60mm
	AML320 : 61~80mm
Power	DC 6V (AA Alkaline batteries) x 8
Battery life	Approximately 12 months (10 times per day on average)
Size	Exterior body : 85x387x61mm
	Interior body : 86x354.8x63mm

SHS-P717

- Push to enter, pull to exit (the reversed model is also available)
- Push to enter, and pull to enter models are available
- Automatic wake up by IR sensor
- User friendly status display on the front panel
- Do-not-disturb mode



Interior body

Product

Model	Handle type (Inside/Outside)	Mortise		Color
		AML220	AML320	
SHS-P717XMK/EN	Push-Pull	O	-	Black
SHS-P717LMK/EN	Pull-Push	O	-	
SHS-P717LMG/EN	Pull-Push	O	-	Gold
SHS-P717XBK/EN	Push-Pull	-	O	Black
SHS-P717LBK/EN	Pull-Push	-	O	
SHS-P717LBG/EN	Pull-Push	-	O	Gold

Specification

Password	4~12 digit number combination
RFID Card/Password	Capacity 30 (Max.)
Door thickness	AML220 : 40~60mm
	AML320 : 61~80mm
Power	DC 6V (AA Alkaline batteries) x 8
Battery life	Approximately 12 months (10 times per day on average)
Size	Exterior body : 85x346.5x61mm
	Interior body : 86x354.8x63mm

SHS-H705

- Ultra fast fingerprint scanning with high accuracy
- Automatic cover on the fingerprint scanner



Product

Model	Mortise		Security Handle	Color
	AML220	AML320		
SHS-H705FMK/EN	O	-	O	Black
SHS-H705FMG/EN	O	-	-	Gold
SHS-H705FMR/EN	O	-	-	Pink Gold
SHS-H705FMM/EN	O	-	-	Black & Gold
SHS-H705FBK/EN	-	O	-	Black
SHS-H705FBG/EN	-	O	-	Gold
SHS-H705FBM/EN	-	O	-	Black & Gold
SHS-H705FBR/EN	-	O	-	Pink Gold

Specification

Password	4~12 digit number combination
Fingerprint	Capacity 100 fingerprints (Max.)
Door thickness	AML220 : 40~60mm
	AML320 : 61~80mm
Power	DC 6V (AA Alkaline batteries) x 8
Battery life	Approximately 10 months (10 times per day on average)
Size	Exterior body : 81.3x318x75mm
	Interior body : 79x290x80.3mm

SHS-H635



reddot award
winner

- Sleek product design
- Red circle LED indicator



Product

Model	Mortise		Color
	AML220	AML320	
SHS-H635FMS/EN	O	-	Silver
SHS-H635FBS/EN	-	O	Silver
SHS-H635FBG/EN	-	O	Gold

Specification

Password	5~12 digit number combination
RF ID card	Capacity 30 (Max.)
Door thickness	AML220 : 40~60mm
	AML320 : 61~80mm
Power	DC 6V (AA Alkaline batteries) x 8
Battery life	Approximately 12 months (10 times per day on average)
Size	Exterior body : 81x306x64mm
	Interior body : 79x290x80.3mm

SHS-H505

- Stunning black front panel
- Circle wake-up indicator



Product

Model	Mortise		Security Handle	Color
	AML220	AML320		
SHS-H505FMK/EN	○	-	○	Black
SHS-H505FBK/EN	-	○	-	
SHS-H505FMK/EN	○	-	-	
SHS-H505FMG/EN	○	-	-	Gold
SHS-H505FBG/EN	-	○	-	
SHS-H505FMG/EN	○	-	-	
SHS-H505FBG/EN	-	○	-	



Specification

Password	4~12 digit number combination
RFID Card/Password	Capacity 30 (Max.)
Door thickness	AML220 : 40~60mm AML320 : 61~80mm
Power	DC 6V (AA Alkaline batteries) x 4
Battery life	Approximately 12 months (10 times per day on average)
Size	Exterior body : 85x346.5x61mm Exterior body : 81.9x302.4x66.1mm Interior body : 79x290x80.3mm

SHP-DS510



- Minimal and compact
- Voice guidance
- Automatic locking with magnet sensor
- Easy to install with adjustable latch



Product

Model	Lockset		Mechanical override key	Color
	Deadbolt	Rim Lock		
SHP-DS510XMK/EN	○	-	○	Black



Specification

Password	4~10 digit number combination
RFID Card/Password	Capacity 100 (Max.)
Mechanical key	6 Pin bump proof, Groove side bar
Door thickness	35~55mm (1.4~2.2")
Power	DC 6V (AA Alkaline batteries) x 4
Battery life	Approximately 12 months (10 times per day on average)
Size	Exterior body : 69.8x159.8x35.2mm Interior body : 70.4x163.8x39mm

SHS-3321

- Keyless deadbolt lock
- Easy to install with adjustable latch



Product

Model	Lockset		Mechanical override key	Color
	Deadbolt	Rim Lock		
SHS-3321XMK/EN	O	-	O	Black



Specification

Password	4~10 digit number combination
RFID Card/Password	Capacity 100 (Max.)
Door thickness	35~55mm (1.4~2.2")
Power	DC 6V (AA Alkaline batteries) x 4
Battery life	Approximately 12 months (10 times per day on average)
Size	Exterior body : 68x180x36.5mm Interior body : 68x180x38.3mm

SHS-2320

- Reinforced protection with double claw bolt.
- Easier entrance confirmation with auto-identification icon.



Product

Model	Lockset		Mechanical override key	Color
	Deadbolt	Rim Lock		
SHS-2320XMK/EN	-	O	-	Black




Specification

Password	4~12 digit number combination
RF ID card	Capacity 20 (Max.)
Door thickness	40~50mm (1.6~2.0")
Power	DC 6V (AA Alkaline batteries) x 4
Battery life	Approximately 10 months (10 times per day on average)
Size	Exterior body : 65.2x170.5x22.5mm Interior body : 182x90x40.7mm

SHS-1321

- Best selling model
- Blue LED wake-up indicator



Product

Model	Lockset		Mechanical override key	Color
	Deadbolt	Rim Lock		
SHS-1321XAK/EN	-	O	-	Black

Specification

Password	4~12 digit number combination
RF ID card	Capacity 20 (Max.)
Door thickness	40~50mm (1.6~2.0")
Power	DC 6V (AA Alkaline batteries) x 4
Battery life	Approximately 10 months (10 times per day on average)
Size	Exterior body : 69x175x22 mm Interior body : 181x92x48 mm

SHS-D600

- Melody setting
- Silent Access
- Emergency Escape



Product

Model	Lockset		Mechanical override key	Color
	Deadbolt	Rim Lock		
SHS-D600FMK/EN	-	O	-	Black

Specification

Password	4~12 digit number combination
RFID Card/Password	Capacity 20 (Max.)
Door thickness	28~52mm (1.4~2.2")
Power	DC 6V (AA Alkaline batteries) x 4
Battery life	Approximately 10 months (10 times per day on average)
Size	Exterior body : 69x175x22 mm Interior body : 181x92x48 mm

Product List

		Connected Doorlock		
		SHP-DP728	SHP-DP727	SHP-DH525
				
Model				
Connected Service 1 Family arrival notification		O	O	O
Connected Service 2 In & out record		O	O	O
Connected Service 3 Bluetooth unlock		O	O	O
Capacity (Password)		1	1	1
Capacity (RF ID card)		20	20	20
Capacity (Finger print)		100	-	-
Random Security Code		O	O	O
Mechanical Override Keys		O	O	O
Lockset		Mortise Lock	Mortise Lock	Mortise Lock
Applicable Door Thickness		40~80mm (1.6~3.1 inch)	40~80mm (1.6~3.1 inch)	40~80mm (1.6~3.1 inch)
Humidity		20~80%	20~80%	20~80%
Temperature		-20°C~ +55°C	-20°C~ +55°C	-20°C~ +55°C
Color		Black, Gold, Bronze, Brown	Black, Gold	Black
Power		DC 6V AA Alkaline Battery (8)	DC 6V AA Alkaline Battery (8)	DC 6V AA Alkaline Battery (8)
Battery Life		About 10 Months (10 Times Per Day)	About 10 Months (10 Times Per Day)	About 10 Months (10 Times Per Day)
Product Size (WxHxD)	Exterior Body	87.5x391.8x64.5(mm) 3.4x 15.4 x 2.5(inch)	88.1x392.4x64.5(mm) 3.4x 15.4 x 2.5(inch)	77.4x313.4x66.8(mm) 3x 12.3x 2.6(inch)
	Interior Body	88.5x357.6x69.3(mm) 3.4 x 14.0x 2.7(inch)	88.5x357.6x69.3(mm) 3.4 x 14.0 x 2.7(inch)	79x290x80.3(mm) 3.1 x 11.4 x 3.1(inch)

* All of the SAMSUNG Smart Door Locks above are interoperated with the Samsung Video Intercom (System), and Samsung Home Network System.

* The Battery Life could be different according to installation, battery, and frequency of usage.

* The connected doorlock services may not be offered in some countries.

Digital Doorlock				
SHS-P718	SHS-P717	SHS-H705	SHS-H635	SHS-H505
				
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
30	30	11	30	30
100	-	100	-	-
O	O	O	O	O
O	O	O	O	O
Mortise Lock	Mortise Lock	Mortise Lock	Mortise Lock	Mortise Lock
40~80mm (1.6~3.1 inch)	40~80mm (1.6~3.1 inch)	40~80mm (1.6~3.1 inch)	40~80mm (1.6~3.1 inch)	40~80mm (1.6~3.1 inch)
20~80%	20~80%	20~80%	20~80%	20~80%
-20°C~ +55°C	-20°C~ +55°C	-20°C~ +55°C	-20°C~ +55°C	-20°C~ +55°C
Black, Gold, Bronze	Black, Gold	Black, Gold, Pink Gold	Silver, Gold	Black, Gold
DC 6V AA Alkaline Battery (8)	DC 6V AA Alkaline Battery (8)	DC 6V AA Alkaline Battery (8)	DC 6V AA Alkaline Battery (8)	DC 6V AA Alkaline Battery (4)
About 12 Months (10 Times Per Day)	About 12 Months (10 Times Per Day)	About 10 Months (10 Times Per Day)	About 12 Months (10 Times Per Day)	About 12 Months (10 Times Per Day)
85x387x61(mm) 3.3x 15.2 x 2.4(inch)	85x346.5x61(mm) 3.3x 13.6 x 2.4(inch)	81.3x318x75(mm) 3.2x 12.5 x 3.0(inch)	81x306x64(mm) 3.2x 12.0 x 2.5(inch)	81.9x302.4x66.1(mm) 3.2x 11.9 x 2.6(inch)
86x354.8x63(mm) 3.4x 14.0 x 2.5(inch)	86x354.8x63(mm) 3.4x 14.0 x 2.5(inch)	79x290x80.3(mm) 3.2x 11.4 x 3.1(inch)	79x290x80.3(mm) 3.2x 11.4 x 3.1(inch)	79x290x80.3(mm) 3.2x 11.4 x 3.1(inch)

Product List

		Connected Doorlock	Digital Doorlock				
		SHP-DS705	SHP-DS510	SHS-3321	SHS-2320	SHS-1321	SHS-D600
Model							
Connected Service 1 Family arrival notification		○	-	-	-	-	-
Connected Service 2 In & out record		○	-	-	-	-	-
Connected Service 3 Bluetooth unlock		○	-	-	-	-	-
Capacity (Password)		1	100	71	1	1	1
Capacity (RF ID card)		20			20	20	20
Capacity (Finger print)		-	-	-	-	-	-
Random Security Code		○	○	○	○	○	○
Mechanical Override Keys		-	○	-	-	-	-
Lockset		Rim Lock	Tubular Lock	Tubular Lock	Rim Lock	Rim Lock	Rim Lock
Applicable Door Thickness		40~60mm (1.4~2.3inch)	35~55mm (1.4~2.2inch)	35~55mm (1.4~2.2inch)	40~50mm (1.6~2.0inch)	40~50mm (1.6~2.0inch)	40~50mm (1.6~2.0inch)
Humidity		20~80%	20~80%	20~80%	20~80%	20~80%	20~80%
Temperature		-20°C~ +60°C	-20°C~ +60°C	-20°C~ +60°C	-20°C~ +60°C	-20°C~ +60°C	-20°C~ +60°C
Color		Black	Black	Black	Black	Black	Black
Power		DC 6V AA Alkaline Battery (4)	DC 6V AA Alkaline Battery (4)	DC 6V AA Alkaline Battery (4)	DC 6V AA Alkaline Battery (4)	DC 6V AA Alkaline Battery (4)	DC 6V AA Alkaline Battery (4)
Battery Life		About 10 Months (10 Times Per Day)	About 12 Months (10 Times Per Day)	About 12 Months (10 Times Per Day)	About 10 Months (10 Times Per Day)	About 10 Months (10 Times Per Day)	About 10 Months (10 Times Per Day)
Product Size (WxHxD)	Exterior Body	82.8x19 (mm) 3.2 x 0.7 (inch)	69.8x159.8x35.2 (mm) 2.3 x 6.3 x 1.4 (inch)	68x180x36.5 (mm) 2.7 x 7.1 x 1.4 (inch)	65.2x170.5x22.5 (mm) 2.6 x 6.7 x 0.9 (inch)	69x175x22 (mm) 2.7 x 6.9 x 0.9 (inch)	69x175x22 (mm) 2.7 x 6.9 x 0.9 (inch)
	Interior Body	140x106x19 (mm) 5.5 x 4.1 x 0.7 (inch)	70.4x163.8x39 (mm) 2.8 x 6.5 x 1.6 (inch)	68x180x38.3 (mm) 2.7 x 7.1 x 1.5 (inch)	182x90x40.7 (mm) 7.2 x 3.5 x 1.6 (inch)	181x92x48 (mm) 7.2 x 3.6 x 1.9 (inch)	181x92x48 (mm) 7.2 x 3.6 x 1.9 (inch)

* All of the SAMSUNG Smart Door Locks above are interoperated with the Samsung Video Intercom (System), and Samsung Home Network System.


* The Battery Life could be different according to installation, battery, and frequency of usage.

* The connected doorlock services may not be offered in some countries.

Mortise


Type 1

SHS-AML220



Type 2

SHS-AML320



Mortise	Type 1	Type 2
Face Panel Size	25 x 109.8 (mm)	25 x 240 (mm)
Number of Deadbolts	1 pcs	2 pcs

Key Tag

Type 1



SHS-AKT200R



SHS-AKT200K

※ Key tag with the clear plastic cover

Type 2



SHS-AKT300K



SHS-AKT300W

Accessory Pack

	Code	Description
For The Doorlock with The Handle	SHS-ASM100/EN	Adjustable 61~80 (mm)
	SHS-ASM140/EN	Adjustable 40~60 (mm)
For Push Pull Doorlock	SHS-ASM260/EN	Adjustable 61~80 (mm)
	SHS-ASM240/EN	Adjustable 40~60 (mm)

※ This accessory pack may contain the mount support(s), the shaft(s), the key tale(s), the screw(s), etc. The contents may vary and be subject to change without notice.

Samsung SDS Smart Doorlock Catalog

SAMSUNG SDS







Next Generation of Push-Pull Doorlock

Smart IoT Doorlock, SHP-DR708, opens the door to new smart life. Building upon the previous generation breakthroughs with multiple access methods, precision engineering and design, the new generation smart IoT Doorlock provides upgraded accessibility, strengthened security, and connectivity with your smartphone.



What are the Smart lot Doorlock services for?



Smart Doorlock

Free download the mobile app, **Smart Doorlock** from the iTunes App Store™ or Google Play™ for the smart IoT doorlock service.

Android



Google play

iOS



App store

Convenience

Various accessibilities

Provides the various door access methods depending on your life style.
(mobile application, fingerprint, passwords, mechanical key overrides, NFC- enabled Android phones)

Touchpad screen

The highly sophisticated touch screen makes so much easier for you to enter the password to unlock the doorlock.



Automatic locking

Just close the door when you go out. It automatically locks the door by itself so that you do not need to re-check.



Soft touch open

When you go out, the sensor senses the user and automatically unlocks the door. The door will be opened by just touching the handle, without the use of force.



Welcome mode

APP push notification
Guest doorbell function



Voice guide

No need to read the instruction
Easy to operate with voice guide.



NFC unlocking

Put the smartphone close to the smart lock to complete the authentication (NFC-enabled Android phones with NFC-enabled USIM chips.)

Enhanced Safety



Touchpad randomizer

Press those two digits, a smart way to prevent would-be thieves from scanning your smudgy fingerprints to figure out which digits will open the door.



Anti-theft mode

One you set up this mode, the alarm sounds when the theft tries to exit to the door.



Double authentication

Enhanced security with double authentication
It needs to be unlocked by password and fingerprint. (optional)



High temperature alarm

When the built-in sensor detects abnormal high-temperature, the alarm will be triggered, and the doorlock will flash to alert the user.



Indoor anti-lock


In order to protect the safety of the home, the indoor anti-lock function can be used to prevent someone from unlocking outside. This function is activated by clicking the "CLOSE" button on the indoor lock body.

Useful functions



Volume adjustment

Adjustable touch pad volume.



9V Battery back-up

When the battery is dead, you can temporarily use the 9V backup battery to unlock.



Low battery alert

When the battery is too low, you will hear a beep to remind you to replace the battery.




Samsung Smart Home interface

It can be linked with Samsung video intercom to achieve remote unlocking.


Smart IoT Doorlock

/ SHP-DR708



SHP-DR708

- Real-time smartphone entry management service
- Soft touch open
- Fingerprint recognition
- Voice guide
- NFC unlocking (NFC-enabled Android phones with NFC-enabled USIM chips.)



Product

Model	Handle type (Inside/Outside)	Mortise		Color
		AML240	AML340	
SHP-DR708AU	Pull-Push	○	-	Dark gray



Specification

Password	4~12 digit number combination
Fingerprint	100 fingerprints (Max.)
Door thickness	40~60mm
Power	AA Alkaline battery X 8 (DC 6V)
Battery life	Approximately 10 months (10 times per day on average)
Size	Exterior body : 88x400x57.5mm Interior body : 88x400x61.5mm



Connected Doorlock

- / SHP-DP738
- / SHP-DP728
- / SHP-DP727
- / SHP-DH525
- / SHP-DS705



What are the Connected Doorlock services for?



Receive push notification which includes registered user's name, arrival date and access time via smartphone in real-time



Quick view on the door access information of the registered family members via mobile application. (up to 30 histories)



Support the secured user authentication and the data protection with the light-weighted end-to-end secure tunneling technology.



Unlock your door with smartphone.

Aesthetic Product Design



International Forum Design,
iF Design Award



red dot
award
winner

red-dot
(Design Zentrum Nordrhein Westfalen),
Product Design Award



Industrial Designers Society of America,
International Design Excellence Awards

Convenience

Various accessibilities

Provides the various door access methods depending on your life style.
(mobile application, fingerprint, passwords, RF cards, smart tag, mechanical key overrides)

Touchpad screen

The highly sophisticated touch screen makes so much easier for you to enter the password to unlock the doorlock.



Samsung Smart Home interface

It can be linked with Samsung video intercom to achieve remote unlocking.



Auto polling

RF card or key tag is instantly authenticated for access without the need to press the wake-up button.



Automatic locking

Just close the door when you go out. It automatically locks the door by itself so that you do not need to re-check.

Enhanced Safety



Touchpad randomizer

Press those two digits, a smart way to prevent would-be thieves from scanning your smudgy fingerprints to figure out which digits will open the door.



Double authentication

This enhanced security feature requires to enter the password and the fingerprint / card for unlocking the door.



Anti-theft mode

One you set up this mode, the alarm sounds when the theft tries to exit to the door.



High temperature alarm

When the built-in sensor detects abnormal high-temperature, the alarm will be triggered, and the doorlock will flash to alert the user.


Useful Functions



Volume adjustment



Low battery alert



9V Battery back-up



sHome Doorlock

Free download the mobile app, **sHome Doorlock** from the iTunes App Store™ or Google Play™ for the connected doorlock service.

Android



Google play

iOS



App store

SHP-DP738

- Brand new high-end design
- Access Logs
- Voice guide



Product

Model	Handle type (Inside/Outside)	Mortise		Color
		AML240	AML340	
SHP-DP738AC	Pull-Push	○	-	Bronze

Specification

Password	4~12 digit number combination
Fingerprint	100 fingerprints (Max.)
Door thickness	40~60mm
Power	AA Alkaline battery X 8 (DC 6V)
Battery life	Approximately 10 months (10 times per day on average)
Size	Exterior body : 88x392x63.8mm Interior body : 88x392x68.5mm

SHP-DP728



- Real-time family arrival notification over smartphone
- Saving family access time and date (Up to 30 records)
- One touch unlock with smartphone
- Push & pull door handle
- Safe unlock with fingerprint



Product

Model	Handle type (Inside/Outside)	Mortise		Color
		AML240	AML340	
SHP-DP728AG/EN	Pull-Push	○	-	Gold
SHP-DP728AK/EN	Pull-Push	○	-	Black
SHP-DP728AU/EN	Pull-Push	○	-	Bronze
SHP-DP728BG/EN	Pull-Push	-	○	Gold
SHP-DP728BK/EN	Pull-Push	-	○	Black
SHP-DP728BU/EN	Pull-Push	-	○	Bronze
SHP-DP728DG/EN	Push-Pull	-	○	Gold
SHP-DP728DK/EN	Push-Pull	-	○	Black
SHP-DP728DU/EN	Push-Pull	-	○	Brown

SHP-DADT300/EN(Zigbee module : Option)

Specification

Password	4~12 digit number combination
Fingerprint	100 fingerprints (Max.)
RFID card	20 (Max.)
Door thickness	AML240 : 40~60mm AML340 : 61~80mm
Power	AA Alkaline battery X 8 (DC 6V)
Battery life	Approximately 10 months (10 times per day on average)
Size	Exterior body : 87.5x391.8x64.5mm Interior body : 88.5x357.6x69.3mm

SHP-DP727



- Real-time family arrival notification over smartphone
- Saving family access time and date (Up to 30 records)
- One touch unlock with smartphone
- Push & pull door handle



Product

Model	Handle type (Inside/Outside)	Mortise		Color
		AML240	AML340	
SHP-DP727AG/EN	Pull-Push	○	-	Gold
SHP-DP727AK/EN	Pull-Push	○	-	Black
SHP-DP727AU/EN	Push-Pull	-	○	Bronze
SHP-DP727BG/EN	Pull-Push	-	○	Gold
SHP-DP727BK/EN	Pull-Push	-	○	Black
SHP-DP727BU/EN	Pull-Push	-	○	Bronze
SHP-DP727DG/EN	Push-Pull	-	○	Gold
SHP-DP727DK/EN	Push-Pull	-	○	Black
SHP-DP727DU/EN	Push-Pull	-	○	Bronze

SHP-DADT300/EN(Zigbee module : Option)

Specification

Password	4~12 digit number combination
RFID card	20 (Max.)
Door thickness	AML240 : 40~60mm
	AML340 : 61~80mm
Power	AA Alkaline battery X 8 (DC 6V)
Battery life	Approximately 10 months (10 times per day on average)
Size	Exterior body : 88.1x392.4x64.5mm
	Interior body : 88.5x357.6x69.3mm

SHP-DH525

- Real-time family arrival notification over smartphone
- Saving family access time and date (Up to 30 records)
- One touch unlock with smartphone
- The security button on the internal handle



Product

Model	Mortise		Security button	Color
	AML240	AML340		
SHP-DH525MK/EN	○	-	○	Black
SHP-DH525BK/CN	-	○	○	Black

SHP-DADT300/EN(Zigbee module : Option)


Specification

Password	4~12 digit number combination
RFID card	20 (Max.)
Door thickness	AML240 : 40~60mm
	AML340 : 61~80mm
Power	AA Alkaline battery X 8 (DC 6V)
Battery life	Approximately 10 months (10 times per day on average)
Size	Exterior body : 77.4x313.4x66.8mm
	Interior body : 79x290x80.3mm

SHP-DS705



- Compact and slim external body in round shape
- Real-time family arrival notification over smartphone
- Saving family access time and date (Up to 30 records)
- One touch unlock with smartphone



Product


Model	Lockset		Mechanical override key	Color
	Deadbolt	Rim lock		
SHP-DS705MK/EN	-	O	-	Black

Specification

Password	4~10 digit number combination
RFID card	20 (Max.)
Door thickness	40~60mm (1.4~2.3")
Power	AA Alkaline battery X 4 (DC 6V)
Battery life	Approximately 12 months (10 times per day on average)
Size	Exterior body : 82.8x19mm Interior body : 140x106x44mm

Digital Doorlock


- / SHS-P718
- / SHS-P717
- / SHS-H705
- / SHS-H635
- / SHS-H505
- / SHP-DS510
- / SHS-3321
- / SHS-2320
- / SHS-1321
- / SHS-D600



SHS-P718



- Push to enter, pull to exit (the reversed model is also available)
- Ultra fast fingerprint scanning with high accuracy
- Automatic wake up by IR sensor
- User friendly status display on the front panel
- Do-not-disturb mode



Interior body



Product

Model	Handle type (Inside/Outside)	Mortise		Color
		AML240	AML340	
SHS-P718LMK/EN	Pull-Push	○	-	Black
SHS-P718LMG/EN	Pull-Push	○	-	Gold
SHS-P718LMU/EN	Pull-Push	○	-	Bronze
SHS-P718LBK/EN	Pull-Push	-	○	Black
SHS-P718LBG/EN	Pull-Push	-	○	Gold
SHS-P718LBU/EN	Pull-Push	-	○	Bronze


Specification

Password	4~12 digit number combination
Fingerprint	100 fingerprints (Max.)
RFID card	20 (Max.)
Door thickness	AML240 : 40~60mm
	AML340 : 61~80mm
Power	AA Alkaline battery X 8 (DC 6V)
Battery life	Approximately 12 months (10 times per day on average)
Size	Exterior body : 85x387x61mm
	Interior body : 86x354.8x63mm

SHS-P717



- Push to enter, pull to exit (the reversed model is also available)
- Push to enter, and pull to enter models are available
- Automatic wake up by IR sensor
- User friendly status display on the front panel
- Do-not-disturb mode



Interior body



Product


Model	Handle type (Inside/Outside)	Mortise		Color
		AML240	AML340	
SHS-P717LMK/EN	Pull-Push	○	-	Black
SHS-P717LMG/EN	Pull-Push	○	-	Gold
SHS-P717LBK/EN	Pull-Push	-	○	Black
SHS-P717LBG/EN	Pull-Push	-	○	Gold

Specification

Password	4~12 digit number combination
RFID card	30 (Max.)
Door thickness	AML240 : 40~60mm
	AML340 : 61~80mm
Power	AA Alkaline battery X 8 (DC 6V)
Battery life	Approximately 12 months (10 times per day on average)
Size	Exterior body : 85x346.5x61mm
	Interior body : 86x354.8x63mm

SHS-H705

- Ultra fast fingerprint scanning with high accuracy
- Automatic cover on the fingerprint scanner



Product

Model	Mortise		Security handle	Color
	AML240	AML340		
SHS-H705FMK/EN	O	-	O	Black
SHS-H705FMG/EN	O	-	-	Gold
SHS-H705FMR/EN	O	-	-	Pink Gold
SHS-H705FMM/EN	O	-	-	Black & Gold
SHS-H705FBK/EN	-	O	-	Black
SHS-H705FBG/EN	-	O	-	Gold
SHS-H705FBM/EN	-	O	-	Black & Gold
SHS-H705FBR/EN	-	O	-	Pink Gold


Specification

Password	4~12 digit number combination
Fingerprint	100 fingerprints (Max.)
Door thickness	AML240 : 40~60mm
	AML340 : 61~80mm
Power	AA Alkaline battery X 8 (DC 6V)
Battery life	Approximately 10 months (10 times per day on average)
Size	Exterior body : 81.3x318x75mm
	Interior body : 79x290x80.3mm

SHS-H635



- Sleek product design
- Red circle LED indicator



Product

Model	Mortise		Color
	AML240	AML340	
SHS-H635FMS/EN	O	-	Silver
SHS-H635FBS/EN	-	O	Silver
SHS-H635FBG/EN	-	O	Gold

Specification

Password	5~12 digit number combination
RF ID card	20 (Max.)
Door thickness	AML240 : 40~60mm
	AML340 : 61~80mm
Power	AA Alkaline battery X 8 (DC 6V)
Battery life	Approximately 12 months (10 times per day on average)
Size	Exterior body : 81x306x64mm
	Interior body : 79x290x80.3mm

SHS-H505

- Stunning black front panel
- Circle wake-up indicator



Interior body

Product

Model	Mortise		Security handle	Color
	AML240	AML340		
SHS-H505FMK/EN	O	-	O	Black
SHS-H505FBK/EN	-	O	-	
SHS-H505FMK/EN	O	-	-	
SHS-H505FMG/EN	O	-	-	Gold
SHS-H505FBG/EN	-	O	-	



Specification

Password	4~12 digit number combination
RFID card	30 (Max.)
Door thickness	AML240 : 40~60mm AML340 : 61~80mm
Power	AA Alkaline battery X 4 (DC 6V)
Battery life	Approximately 12 months (10 times per day on average)
Size	Exterior body : 81.9x302.4x66.1mm Interior body : 79x290x80.3mm

SHP-DS510



- Minimal and compact
- Voice guidance
- Automatic locking with magnet sensor
- Easy to install with adjustable deadbolt



Interior body

Product

Model	Lockset		Mechanical override key	Color
	Deadbolt	Rim lock		
SHP-DS510XMK/EN	O	-	O	Black



Specification

Password	4~10 digit number combination
RFID card	100 (Max.)
Mechanical key	6 Pin bump proof, Groove side bar
Door thickness	35~55mm (1.4~2.2")
Power	AA Alkaline battery X 4 (DC 6V)
Battery life	Approximately 12 months (10 times per day on average)
Size	Exterior body : 69.8x159.8x35.2mm Interior body : 70.4x163.8x39mm

SHS-3321



- Keyless deadbolt lock
- Easy to install with adjustable deadbolt



Product


Model	Lockset		Mechanical override key	Color
	Deadbolt	Rim lock		
SHS-3321XMK/EN	O	-	O	Black

Specification

Password	4~10 digit number combination
RFID card/Password	70 (Max.)
Door thickness	35~55mm (1.4~2.2")
Power	AA Alkaline battery X 4 (DC 6V)
Battery life	Approximately 12 months (10 times per day on average)
Size	Exterior body : 68x180x36.5mm Interior body : 68x180x38.3mm

SHS-2320

- Reinforced protection with double claw bolt.
- Easier entrance confirmation with auto-identification icon.



Product

Model	Lockset		Mechanical override key	Color
	Deadbolt	Rim lock		
SHS-2320XMK/EN	-	O	-	Black

Specification

Password	4~12 digit number combination
RF ID card	20 (Max.)
Door thickness	40~50mm (1.6~2.0")
Power	AA Alkaline battery X 4 (DC 6V)
Battery life	Approximately 10 months (10 times per day on average)
Size	Exterior body : 65.2x170.5x22.5mm Interior body : 182x90x40.7mm

SHS-1321

- Best selling model
- Blue LED wake-up indicator



Interior body



Product

Model	Lockset		Mechanical override key	Color
	Deadbolt	Rim lock		
SHS-1321XAK/EN	-	O	-	Black

Specification

Password	4~12 digit number combination
RF ID card	20 (Max.)
Door thickness	40~50mm (1.6~2.0")
Power	AA Alkaline battery X 4 (DC 6V)
Battery life	Approximately 10 months (10 times per day on average)
Size	Exterior body : 69x175 x 22 mm Interior body : 181x92x48 mm

SHS-D600

- Melody setting
- Silent Access
- Emergency Escape



Interior body



Product

Model	Lockset		Mechanical override key	Color
	Deadbolt	Rim lock		
SHS-D600FMK/EN	-	O	-	Black

Specification

Password	4~12 digit number combination
RFID card/Password	20 (Max.)
Door thickness	28~52mm (1.4~2.2")
Power	AA Alkaline battery X 4 (DC 6V)
Battery life	Approximately 10 months (10 times per day on average)
Size	Exterior body : 69x175 x 22 mm Interior body : 181x92x48 mm

Product list

		Smart IoT Doorlock	Connected Doorlock			
		SHP-DR708	SHP-DP738	SHP-DP728	SHP-DP727	SHP-DH525
Mode						
Realtime doorlock status		O	O	O	O	O
One time password		O	O	-	-	-
Duration password		O	-	-	-	-
Smart bell		O	-	-	-	-
Unlock with smartphone		O	O	O	O	O
Family arrival notification		O	O	O	O	O
View access logs		O	O	O	O	O
Capacity (Password)		100	100	1	1	1
Capacity (RF ID card)		-	-	20	20	20
Capacity (Finger print)		100	100	100	-	-
Random security code		O	O	O	O	O
Mechanical override keys		O	O	O	O	O
Lockset		Mortise lock	Mortise lock	Mortise lock	Mortise lock	Mortise lock
Applicable door thickness		40~80mm (1.5~3.1inch)	40~80mm (1.5~3.1inch)	40~80mm (1.6~3.1inch)	40~80mm (1.6~3.1inch)	40~80mm (1.6~3.1inch)
Humidity		20~80%	20~80%	20~80%	20~80%	20~80%
Temperature		-20°C~ +55°C	-20°C~ +55°C	-20°C~ +55°C	-20°C~ +55°C	-20°C~ +55°C
Color		Dark gray	Bronze	Black, Gold, Bronze, Brown	Black, Gold	Black
Power		DC 6V AA Alkaline battery (8)	DC 6V AA Alkaline battery (8)	DC 6V AA Alkaline battery (8)	DC 6V AA Alkaline battery (8)	DC 6V AA Alkaline battery (8)
Battery life		About 10 months (10 Times per day)	About 10 months (10 Times per day)	About 10 months (10 Times per day)	About 10 months (10 Times per day)	About 10 months (10 Times per day)
Product size (WxHxD)	Exterior body	88x400x57.5(mm) 3.4x15.7x2.6(inch)	88x392x63.8(mm) 3.4x11.4x2.5(inch)	87.5x391.8x64.5(mm) 3.4x15.4x2.5(inch)	88.1x392.4x64.5(mm) 3.4x15.4x2.5(inch)	77.4x313.4x66.8(mm) 3x12.3x2.6(inch)
	Interior body	88x400x61.5(mm) 3.4x14.7x2.4(inch)	88x392x63.5(mm) 3.4x11.4x2.5(inch)	88.5x357.6x69.3(mm) 3.4x14.0x2.7(inch)	88.5x357.6x69.3(mm) 3.4x14.0x2.7(inch)	79x290x80.3(mm) 3.1x11.4x3.1(inch)

* All of the SAMSUNG Smart Doorlocks above are interoperated with the Samsung Video Intercom (System), and Samsung Home Network System.
* The battery life could be different according to installation, battery, and frequency of usage.
* The connected doorlock services may not be offered in some countries. * Doorlocks colors may look different depending on the subjective judgment or viewing angle.

Modle		Digital Doorlock				
		SHS-P718	SHS-P717	SHS-H705	SHS-H635	SHS-H505
						
Capacity (Password)		30	30	11	30	30
Capacity (RF ID card)				-		
Capacity (Finger print)		100	-	100	-	-
Random security code		0	0	0	0	0
Mechanical override keys		0	0	0	0	0
Lockset		Mortise lock	Mortise lock	Mortise lock	Mortise lock	Mortise lock
Applicable door thickness		40~80mm (1.6~3.1 inch)	40~80mm (1.6~3.1 inch)	40~80mm (1.6~3.1 inch)	40~80mm (1.6~3.1 inch)	40~80mm (1.6~3.1 inch)
Humidity		20~80%	20~80%	20~80%	20~80%	20~80%
Temperature		-20℃~ +55℃	-20℃~ +55℃	-20℃~ +55℃	-20℃~ +55℃	-20℃~ +55℃
Color		Black, Gold, Bronze	Black, Gold	Black, Gold, Pink gold	Silver, Gold	Black, Gold
Power		DC 6V AA Alkaline battery (8)	DC 6V AA Alkaline battery (8)	DC 6V AA Alkaline battery (8)	DC 6V AA Alkaline battery (8)	DC 6V AA Alkaline battery (4)
Battery life		About 12 months (10 Times per day)	About 12 months (10 Times per day)	About 10 months (10 Times per day)	About 12 months (10 Times per day)	About 12 months (10 Times per day)
Product size (WxHxD)	Exterior body	85x387x61(mm) 3.3x15.2x2.4(inch)	85x346.5x61(mm) 3.3x13.6x2.4(inch)	81.3x318x75 (mm) 3.2x12.5x3.0 (inch)	81x306x64(mm) 3.2x12.0x2.5 (inch)	81.9x302.4x66.1(mm) 3.2x11.9x2.6 (inch)
	Interior body	86x354.8x63 (mm) 3.4x14.0x2.5 (inch)	86x354.8x63 (mm) 3.4x14.0x2.5 (inch)	79x290x80.3 (mm) 3.2x11.4x3.1 (inch)	79x290x80.3 (mm) 3.2x11.4x3.1 (inch)	79x290x80.3 (mm) 3.2x11.4x3.1 (inch)

Product list

		Connected Doorlock	Digital Doorlock				
		SHP-DS705	SHP-DS510	SHS-3321	SHS-2320	SHS-1321	SHS-D600
Mode							
Family arrival notification		O	-	-	-	-	-
View access logs		O	-	-	-	-	-
Unlock with smartphone		O	-	-	-	-	-
Capacity (Password)		1	100	70	1	1	1
Capacity (RF ID card)		20			20	20	20
Capacity (Finger print)		-	-	-	-	-	-
Random security code		O	O	O	O	O	O
Mechanical override keys		-	O	-	-	-	-
Lockset		Rim lock	Tubular lock	Tubular lock	Rim lock	Rim lock	Rim lock
Applicable door thickness		40~60mm (1.4~2.3inch)	35~55mm (1.4~2.2inch)	35~55mm (1.4~2.2inch)	40~50mm (1.6~2.0inch)	40~50mm (1.6~2.0inch)	40~50mm (1.6~2.0inch)
Humidity		20~80%	20~80%	20~80%	20~80%	20~80%	20~80%
Temperature		-20°C~ +55°C	-20°C~ +55°C	-20°C~ +55°C	-20°C~ +55°C	-20°C~ +55°C	-20°C~ +55°C
Color		Black	Black	Black	Black	Black	Black
Power		DC 6V AA Alkaline battery (4)	DC 6V AA Alkaline battery (4)	DC 6V AA Alkaline battery (4)	DC 6V AA Alkaline battery (4)	DC 6V AA Alkaline battery (4)	DC 6V AA Alkaline battery (4)
Battery life		About 10 months (10 Times per day)	About 12 months (10 Times per day)	About 12 months (10 Times per day)	About 10 months (10 Times per day)	About 10 months (10 Times per day)	About 10 months (10 Times per day)
Product size (WxHxD)	Exterior body	82.8x19 (mm) 3.2 x 0.7 (inch)	69.8x159.8x35.2 (mm) 2.3 x 6.3 x 1.4 (inch)	68x180x36.5 (mm) 2.7x7.1x1.4 (inch)	65.2x170.5x22.5 (mm) 2.6x6.7x0.9 (inch)	69x175x22 (mm) 2.7x6.9x0.9 (inch)	69x175x22 (mm) 2.7x6.9x0.9 (inch)
	Interior body	140x106x19 (mm) 5.5 x 4.1 x 0.7 (inch)	70.4x163.8x39 (mm) 2.8 x 6.5 x 1.6 (inch)	68x180x38.3 (mm) 2.7x7.1x1.5 (inch)	182x90x40.7 (mm) 7.2x3.5x1.6 (inch)	181x92x48 (mm) 7.2x3.6x1.9 (inch)	181x92x48 (mm) 7.2x3.6x1.9 (inch)

* All of the SAMSUNG Smart Doorlocks above are interoperated with the Samsung Video Intercom (System), and Samsung Home Network System.


* The battery life could be different according to installation, battery, and frequency of usage.

* The connected doorlock services may not be offered in some countries. * Doorlocks colors may look different depending on the subjective judgment or viewing angle.

Mortise


Type 1

SHS-AML240



Type 2

SHS-AML340



Mortise	Type 1	Type 2
Face panel size	25x109.8 (mm)	25x240 (mm)
Number of deadbolts	1 pcs	2 pcs

Key tag

Type 1



SHS-AKT200R

SHS-AKT200K

※ Key tag with the clear plastic cover

Type 2



SHS-AKT300K

SHS-AKT300W

Accessory pack

	Code	Description
Smart IoT Doorlock	SHS-ASM360/EN	Adjustable 61~80 (mm)
	SHS-ASM340/EN	Adjustable 40~60 (mm)
Doorlock with The Handle	SHS-ASM140/EN	Adjustable 40~60 (mm)
Push Pull Doorlock	SHS-ASM260/EN	Adjustable 61~80 (mm)
	SHS-ASM240/EN	Adjustable 40~60 (mm)

※ This accessory pack may contain the mount support(s), the shaft(s), the key tale(s), the screw(s), etc. The contents may vary and be subject to change without notice.

Samsung SDS Smart Doorlock

Samsung SDS Smart Doorlock